

Light Reflectance Value (LRV) is the total quantity of visible and usable light that is reflected by a surface (e.g. flooring, walls, furniture, ...) in all directions and at all wavelengths when illuminated by a light source.

LRV is a measurement that indicates how much light a surface **reflects**, and conversely how much it **absorbs**. LRV runs on a scale from 0% to 100%, 0% being a perfectly absorbing surface (black) up to 100% being a perfectly reflective surface (white). Additional to the colour of the surface, structure and gloss are factors that influence the light reflectance value.

The LRV certificates of all modulyss[®] products are awarded by **CSTB** which executes the measurement according to the **EN 410** and **EN 14500** standard.

The **L-value**, which is the colour depth, is used to calculate visual contrast. However this should not be mixed up with the LRV as the L-value is significantly higher. This is tested in accordance with the **EN ISO 11664-4** standard.

Light Reflectance Val	ues
-----------------------	-----

COLOR	LRV	L
039	22	54
061	29	61
141	12	42
204	33	64
313	11	39
340	5	26
569	6	30
695	7	32
822	7	33
826	5	26
912	26	58
914	26	58
932	15	46
965	7	32
990	16	46
995	3	20



modulyss® Zevensterrestraat 21 B 9240 Zele

T +32 (0)52 80 80 80 F +32 (0)52 80 82 00 info@modulyss.com www.modulyss.com