

Jute

Sustainability data sheet

Made in Belgium from performance solution dyed nylon, Jute complies with all requirements of EN1307: Textile Floorcoverings classification.

Manufacturing location: IVC Group, Moeskroen, Belgium

Site accreditations: ISO 14001; ISO 9001

1. Recycled Content

a. Overall recycled content:b. Pile material:43% post industrial waste100% solution dyed nylon

c. Recycled content yarn: 0%

e. Secondary backing: EcoFlexTM Statera - modified Bitumen f. Recycled limestone in the backing: 70% recycled limestone in the backing

2. Manufacturing

a. Renewable energy: - Through our windmill, solar operations and selective energy sourcing, IVC aims to

achieve 100% renewable energy for all our processes and transportation activities.

b. Production site & process: - The entire product from tuft to finished carpet tile is made on the same

manufacturing site.

- Our manufacturing site is ISO14001 and ISO 9001 certified.

- All surplus and waste yarns are collected and recycled.

- We only use cardboard made from 100% recycled material.

c. Sustainability White Paper: - Read about our sustainability journey and our future objectives for the future in our

sustainability white paper:

www.ivc-commercial.com/en/meet-ivc/smartsustainability

3. End of life

a. Re-use: End of life carpet tiles can be re-used, after cleaning, in non-critical areas, to

extend the product life.

b. Recover: At end of life carpet tiles can be recycled into new raw materials and secondary fuel.

4. Carbon Footprint

a. EPD declaration number: EPD-IVC-20220243-CBB1-EN

b. Embodied Carbon: 8,77 kg CO₂-Eq.

5. Emissions and Chemical Substances

a. CRI: Compliant to the requirement of Green label plus GLP 100161.

b. GUT: The product meets the GUT-criteria These criteria include VOC thresholds, odour

and chemical substances. GUT number: AB56D646.

c. REACH: IVC Commercial carpet tiles comply with the European REACH standard.



Jute

Sustainability data sheet

6.	Health & Wellbeing	
	a. Acoustics:	Jute will strongly support the end user with improved acoustic ratings. Reducing the impact sound reduction with 28dB (Δ Lw - ISO 10140) and increasing the sound absorption with 0,15 α w (EN ISO 354).
		Available on EcoFlex TM Echo for superior acoustic insulation, sound absorption and underfoot comfort.
	b. Odour	IVC Commercial carpet tiles are free from odours (see GUT certificate).
	c. No heavy metals:	IVC Commercial carpet tiles are free of heavy metals and other harmful substances, such as lead, mercury or chromium.
7.	Installation	
	a. Adhesive:	IVC Commercial advises to a use solvent-free, easy release system with very low emissions.
	b. FlexLok	FlexLok enables you to install carpet tiles without using any adhesive. These adhesive tabs can be installed on any sound substrate.

8. Contribution to Green Building Schemes

IVC Carpet tiles can contribute towards credits/points of the following green building schemes. Contact your IVC Commercial Project Advisor to go into the specifics on how IVC can contribute in each these individual Green Building Schemes.

a. BREEAM (UK):

Man 03: Responsible construction p	ractices
Man 04: Commissioning and hando	/er
Hea 02: Indoor air quality	
Hea 04: Thermal comfort	
Hea 05: Acoustic Performance	
Ene 01: Reduction of energy use and	d carbon emissions
Mat 01: Life cycle impacts	
Mat 03: Responsible sourcing of cor	nstruction products
Mat 05: Designing for durability and	resilience
Wst 04: Speculative finishes	

Wst 06: Functional adaptability

Man 02: Life cycle cost and service life planning

b. LEED v4 (Int.):

ivc

Jute

Sustainable data sheet

c. WELL (Int.):

A05 credit: Enhanced Air Quality
W07 credit: Moisture management
T01 credit: Thermal performance
T02 credit: Enhanced thermal performance
T03 credit: Radiant thermal comfort
S01 credit: Sound mapping
S02 credit: Maximum noise levels
S04 credit: Sound absorption

S05 credit: Sound masking
S06 credit: Impact noise management
X01 credit: Fundamental material precautions
X09 credit: Cleaning products and protocol
X10 credit: Volatile compound reduction
X11 credit: Long-term emission control
X12 credit: Short-term emission control
X13 credit: Enhanced material precaution
X14 credit: Material transparency

M02 credit: Access to nature
M07 credit: Restorative spaces

C14 credit: Bathroom accommodations I05 credit: Green building rating system

d. DGNB (Int.)

ENV1.1:	Building life cycle assessment (LCA)
ENV1.2	Local environmental impact
ENV1.3	Sustainable resource extraction
EC01.1	Life cycle cost (LCC)
SOC1.2	Indoor air quality (IAQ)
SOC1.3	Acoustic comfort
TEC1.2	Sound insulation
TEC1.5	Ease of cleaning building components
TEC1.6	Ease of recovery and recycling
PR01.5	Documentation for sustainable management