

Teak

Sustainable data sheet

Made in Belgium from performance solution dyed nylon, Teak complies with all requirements of EN1307: Textile Floorcoverings classification.

	Manufacturing location: Site accreditations:	IVC Group, Moeskroen, Belgium ISO 14001; ISO 9001	
1.	Recycled Content		
	 a. Overall recycled content: b. Pile material: c. Recycled content yarn: e. Secondary backing: f. Recycled limestone in the backing: 	43% post industrial waste 100% solution dyed nylon 0% EcoFlex [™] Statera - modified Bitumen 70% recycled limestone in the backing	
2.	Manufacturing		
	a. Renewable energy:	- Through our windmill, solar operations and selective energy sourcing, IVC aims to achieve 100% renewable energy for all our processes and transportation activities.	
	b. Production site & process:	 The entire product from tuft to finished carpet tile is made on the same manufacturing site. Our manufacturing site is ISO14001 and ISO 9001 certified. All surplus and waste yarns are collected and recycled. We only use cardboard made from 100% recycled material. 	
	c. Sustainability White Paper:	 Read about our sustainability journey and our future objectives for the future in our sustainability white paper: <u>www.ivc-commercial.com/en/meet-ivc/smartsustainability</u> 	
3.	End of life		
	a. Re-use:	End of life carpet tiles can be re-used, after cleaning, in non-critical areas, to extend the product life.	
	b. Recover:	At end of life carpet tiles can be recycled into new raw materials and secondary fuel	
4.	Carbon Footprint		
	a. EPD declaration number:	EPD-IVC-20220243-CBB1-EN	
	b. Embodied Carbon:	8,77 kg CO ₂ -Eq.	

a. CRI:	Compliant to the requirement of Green label plus GLP 100161.
b. GUT:	The product meets the GUT-criteria These criteria include VOC thresholds, odour and chemical substances. GUT number: 94EFCC68.
c. REACH:	IVC Commercial carpet tiles comply with the European REACH standard.



Teak Sustainable data sheet

6.	Health & Wellbeing	
	a. Acoustics:	Teak will strongly support the end user with improved acoustic ratings. Reducing the impact sound reduction with 28dB (Δ Lw - ISO 10140) and increasing the sound absorption with 0,15 α w (EN ISO 354).
		Optionally available on EcoFlex [™] Echo for superior acoustic insulation, sound absorption and underfoot comfort.
	b. Odour	IVC Commercial carpet tiles are free from odours (see GUT certificate).
	c. No heavy metals:	IVC Commercial carpet tiles are free of heavy metals and other harmful substances, such as lead, mercury or chromium.
7.	Installation	
	a. Adhesive:	IVC Commercial advises to use a solvent-free, easy release system with very low emissions.
	b. FlexLok	FlexLok enables you to install carpet tiles without using any adhesive. These adhesive tabs can be installed on any sound substrate.
8.	Contribution to Green Buildir	ng Schemes

IVC Carpet Tiles can contribute towards credits / points of Green Building Schemes. Contact your IVC Commercial Project Advisor to discuss details on this, in relation to the below schemes:

Man 02: Life cycle cost and service life planning

- Man 03: Responsible construction practices
- Man 04: Commissioning and handover
- Hea 02: Indoor air quality
- Hea 04: Thermal comfort
- Hea 05: Acoustic Performance
- Ene 01: Reduction of energy use and carbon emissions
- Mat 01: Life cycle impacts
- Mat 03: Responsible sourcing of construction products
- Mat 05: Designing for durability and resilience
- Wst 04: Speculative finishes
- Wst 06: Functional adaptability

b. LEED v4 (Int.):

 EA credit: Optimize energy performance
 MR credit: Building life-cycle impact reduction
 MR credit: Building product disclosure and optimisation -Environmental Product Declarations
 MR credit: Building product disclosure and optimisation -Sourcing of raw materials
 MR credit: Building product disclosure and optimisation -Material ingredients
 MR credit: Construction and demolition waste management
 EQ credit: Low emitting materials
 EQ credit: Indoor air quality assessment
 EQ credit: Acoustic performance



c. WELL (Int.):

;

d. DGNB (Int.)

ENV1.1:	Building life cycle assessment (LCA)
ENV1.2	Local environmental impact
ENV1.3	Sustainable resource extraction
EC01.1	Life cycle cost (LCC)
SOC1.2	Indoor air quality (IAQ)
SOC1.3	Acoustic comfort
TEC1.2	Sound insulation
TEC1.5	Ease of cleaning building components
TEC1.6	Ease of recovery and recycling
PR01.5	Documentation for sustainable management